Glaze

A Shinier Way to Wrap OpenGL

Carl Worth
carl.d.worth@intel.com

X Developers' Conference
Sep. 23, 2013

Why Wrap OpenGL?

- Bug capture and replication
  - Trace, replay
- Application/driver instrumentation
  - Performance monitoring

Does anyone do this?

- Apitrace
- Bugle
- Fips
- glxoffload
- Primus
- VirtualGL
- Etc.

My OpenGL-wrapping Background

- Apitrace
- Fips
- Glaze

Apitrace

- Started by José Fonseca (VMWare) in 2008
- I began hacking on it in 2011
- Invaluable for bug capture/replication
- Multiple wrapping interfaces
  - LD_PRELOAD
  - Alternate libGL.so via LD_LIBRARY_PATH

http://apitrace.github.io/

Fips

- Live, application performance measurement
- Initially only LD_PRELOAD
- Lots of thrasing to get applications to work

git clone git://git.cworth.org/git/fips

Alexander Monakov

- Inspired by much flailing with fips
- Documented everything he knows about OpenGL wrapping:

  https://github.com/amonakov/on-wrapping/blob/master/interposers-discussion.asciidoc
- In turn inspired Glaze and this talk

Wrapping is easy, right?

- Tour: FPS counter
  - (Hint: It ends up being not so easy)

- This portion of the talk was a live demo. To emulate it at home, checkout the following source code:

  ```
  git clone git://git.cworth.org/git/glfps
  ```

  and go through each point in the code history, examining the source, running “make” and “glfps-test” for each revision.

Glaze: Making it easy again

- Ideally has the benefits of a simple LD_PRELOAD
  - Works with many application styles
  - Wrapper author can ignore GetProcAddress and dlsym
  - Wrappers can nest

git clone git://git.cworth.org/git/glaze

What's in Glaze?

- All OpenGL functions
  - Automatic from Khronos XML files
- Convenience library
  - GetProcAddress
  - glaze_lookup()
  - GLAZE_DEFER
  - glaze_execute()

An introduction to ifunc

```
void * foo() __attribute__((ifunc("foo_resolver")));


static void *
foo_resolver (void) {
    if (condition)
        return foo_version_1;
    else
        Return foo_version_2;
}
```

How to use Glaze

LD_LIBRARY_PATH=/path/to/glaze/libGL.so

GLAZE_LIBGL=/path/to/real/libGL.so

GLAZE_WRAPPER=wrapperlib.so

Glaze Convenience

```
$ glaze --wrapper=wrapperlib.so
```

Glaze users can nest

```
GLAZE_WRAPPER=rock.so:roll.so

$ glaze --wrapper=rock.so \
   glaze --wrapper=roll.so program

$ glrock glroll program
```